

A/C TYPE A/C S/N REG. NO. A/C T.T. HOBBS
 206L-III 51032 N2019F 9088.7 861
 DATE OF REPORT ENG.1 S/N ENG.1 TT ENG.1 CY RINS
 4/27/2003 CAE-895066 8863 24807 6072
 OLD OLD

REM %	PART NUMBER	DESCRIPTION	S/N	PART HRS/SLDG	TIME REMAINING	REMOVE HRS/CY	TBO SLL	INST A/C ENG HRS/CY	INST PART HRS/CY
69%	206-015-001-107	M/R BLADE	A-2814	1124.7	2475.3	11564	3600	7964	0
8%	206-015-001-107	M/R BLADE	A-1388	3312.4	287.6	9376.3	3600	8990.4	3214.1
79%	206-011-100-105	M/R HEAD INSP	HB-00886	257.1	942.9	10031.6	1200	8831.6	
89%	206-011-100-105	M/R HEAD O/H	HB-00886	257.1	2142.9	11231.6	2400	8831.6	
79%	206-011-125-001	RETENTION PIN	DI-27920	257.1	942.9	10031.6	1200	8831.6	
79%	206-011-125-001	RETENTION PIN	DI-27920	257.1	942.9	10031.6	1200	8831.6	
79%	206-011-260-101	LATCH BOLT	DI-11638	257.1	942.9	10031.6	1200	8831.6	
79%	206-011-260-101	LATCH BOLT	DI-11641	257.1	942.9	10031.6	1200	8831.6	
89%	206-011-150-105	FITTING	HB-02699	257.1	2142.9	11231.6	2400	8831.6	
89%	206-011-150-105	FITTING	HB-02724	257.1	2142.9	11231.6	2400	8831.6	
79%	206-011-147-003	TT STRAP	BT-22019	257.1	942.9	10031.6	1200	8831.6	
79%	206-011-147-003	TT STRAP	BT-22012	257.1	942.9	10031.6	1200	8831.6	
	206-011-147-003	TT STRAP	BT-22019			10031.6	24 MON	Oct-01	
	206-011-147-003	TT STRAP	BT-22012			10031.6	24 MON	Oct-01	
96%	206-011-120-103	TRUNNION	HB-01024	898	23102	29174	24000	5174	
95%	206-011-132-113A	GRIP	HB-02313	257.1	4542.9	13631.6	4800	8831.6	
95%	206-011-132-113A	GRIP	HB-02312	257.1	4542.9	13631.6	4800	8831.6	
	206-011-149-105	YOKE	BH969	257.1			COND		
44%	206-040-014-105	MAST 1500	AMJ-45492	836.9	663.1	9751.8	1500	8251.8	
23%	206-040-014-105	MAST 3000	AMJ-45492	2319.7	680.3	9769	3000	8251.8	1482.8
2%	206-040-535-105	MAST POLE RET	FA-1242	4915.8	84.2	9172.9	5000	8251.8	4078.9
15%	206-040-535-105	MAST POLE	FA-1242	3724.4	6756	12828	44000	3128	34300
68%	206-010-450-113	SWASHPLATE O/H	REJG-20024	1512.4	3287.6	12376.3	4800	8768	1191.7
68%	206-010-407-001	IDLER LINK	MWFS-105	1512.4	3287.6	12376.3	4800	8768	1191.7
93%	206-010-452-113	SUPPORT	A-1825	320.7	4479.3	13568	4800	8768	
68%	206-010-454-109	SLEEVE	RE5831	1512.4	3287.6	12376.3	4800	8768	1191.7
68%	206-010-467-001	LEVER	TKFS60	1512.4	3287.6	12376.3	4800	8768	1191.7
11%	206-001-193-001	CYCLIC TUBE	A1571	4295.7	504.3	9593	4800	4793	
11%	206-001-193-001	CYCLIC TUBE	A1576	4295.7	504.3	9593	4800	4793	
63%	206-040-004-101	TRANS INSP	BMC-00452	554.7	945.3	10034	1500	8534	
21%	206-040-004-101	TRANS 3000	BMC-00452	3559.2	940.8	10029.5	4500	8534	3004.5

REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/LD	TIME REMAINING	REMOVE HRS/CY	TBO SLL	INST A/C ENG HRS/CY	INST PART HRS/CY
	A/C TYPE	A/C S/N	REG. NO.	A/C T.T.	HOBBS				
	206L-III	51032	N2019F	9088.7	861				
	DATE OF REPORT	ENG.1 S/N	ENG.1 TT	ENG.1 CY	RINS				
	4/27/2003	CAE-895066	8863	24807 OLD	6072 OLD				
100%	206-040-015-015	INPUTSHAFT	AMN-0684	1	599	9687.7	600	9087.7	0
	206-040-015-015	INPUTSHAFT	AMN-0684			Feb-04	12 MON	Feb-03	
96%	206-076-062-003	SERVO	RH-0378	150	3450	12538.7	3600	8938.7	
47%	206-076-062-003	SERVO	RH-2890A	1898.9	1701.1	10789.8	3600	7189.8	
7%	206-076-062-003	SERVO	RH-2023A	3355.9	244.1	9332.8	3600	5732.8	
47%	206-040-270-009	FREEWHEEL INSP	BMB-45710	795.2	704.8	9793.5	1500	8293.5	
24%	206-040-270-009	FREEWHEEL O/H	BMB-45710	2272.3	727.7	9816.4	3000	8293.5	1477.1
34%	CL42250-1	CLUTCH	FD9291	1978.1	1021.9	10110.6	3000	8293.5	1182.9
68%	206-016-201-131	T/R BLADE	CS-5243	795.2	1704.8	10793.5	2500	8293.5	
68%	206-016-201-131	T/R BLADE	CS-5238	795.2	1704.8	10793.5	2500	8293.5	
84%	206-011-819-109	T/R HUB ASSY	A-6557	795.2	1704.8	10793.5	2500	8293.5	
		T/R YOKE	AFS-8559	795.2	4204.8	13293.5	5000	8293.5	
27%	206-040-410-005	DUPLEX BEARING	B2046	2196.4	803.6	9892.3	3000	6892.3	
27%	206-040-402-003	T/R GEARBOX INSP	AMM-01721	2196.4	803.6	9892.3	3000	6892.3	
63%	206-040-402-003	T/R GEARBOX O/H	AMM-01721	2196.4	3803.6	12892.3	6000	6892.3	
49%	23081-018	STARTER GEN		510.2	489.8	9578.5	1000	8578.5	
99%	23081-018	START/GEN BRUSH		1	99	9187.7	100	9087.7	
		ENGINE							
	23005250	COMPRESSOR	CAC-90739	2567.9 TSO			COND	7433.6	1138.5
59%	6899245	IMPELLER	LP-60578	4092.8	5907.2	14770.2	10000	7433.6	2663.4
52%	6899245	IMPELLER	LP-60578	9622	10378	35185	20000	19043	3858
16%	23031925	TURBINE	CAT-95274	1673.5	326.5	9189.5	2000	8716.5	1527
45%	23053299	1ST STG	X1406398	1121.8	903.2	9786.2	2025	8716.5	975.3
11%	23053299	1ST STG	X1406398	2679	321	25128	3000	24761	2633
45%	23032280	2ND STG	HX127453GM	1121.8	903.2	9786.2	2025	8716.5	975.3
11%	23032280	2ND STG	HX127453GM	2679	321	25128	3000	24761	2633

A/C TYPE 206L-III A/C S/N 51032 REG. NO. N2019F A/C T.T. 9088.7 HOBBS 961

DATE OF REPORT 4/27/2003 ENG.1 S/N CAE-895066 ENG.1 TT 8863 ENG.1 CY 24807 RINS 6072

REM % PART NUMBER DESCRIPTION S/N PART HRS/SLDG TIME REMAINING REMOVE HRS/CY TBO SLL INST A/C ENG HRS/CY INST PART HRS/CY

14% 68898663 3RD STG HX49514 HRS 3910.8 639.2 9502.2 4550 8716.5 3764.3
 21% 68898663 3RD STG HX49514 CY 4712 1288 26095 6000 24761 4666
 14% 6882764 4TH STG HX41725 HRS 3910.8 639.2 9502.2 4550 8716.5 3764.3
 21% 6882764 4TH STG HX41725 CY 4712 1288 26095 6000 24761 4666

79% 23065147 FUEL CONTROL 325937 HRS 530.1 1969.9 10832.9 2500 8338.5 5.6
 54% 23070101 GOVERNOR HRS 916.3 1083.7 9946.7 2000 7946.7
 8% 6889001 FUEL NOZZLE AC61174 HRS 1833.6 166.4 9029.4 2000 7280.7 251.3
 44% 23005366 BLEED VALVE FF56977 HRS 837.3 662.7 9525.7 1500 8025.7
 4% 6889822 FUEL PUMP T-200016 HRS 3371.1 128.9 8991.9 3500 5491.9

23005655 GEARBOX 95066 HRS 8863 874.9 9737.9 2000 7737.9
 CSL A 3062R6 COMP ROTOR AND SPLINE ADAPTER INSPECTK HRS 1125.1 874.9 9737.9 2000 7737.9
 CSL A 3066R5 N1 SHAFTING INSPECTION HRS 1125.1 874.9 9737.9 2000 7737.9
 FUEL CONTROL FILTER INSPECTION HRS 530.1 1469.9 10332.9 2000 8338.5 5.6
 FUEL NOZZLE FILTER INSPECTION HRS 1833.6 166.4 9029.4 2000 7280.7 251.3
 INSPECTION OF COMBUSTION LINER HRS 66.3 1933.7 10796.7 2000 8796.7
 INSPECTION OF OUTER COMBUSTION CAN HRS 1125.1 874.9 9737.9 2000 7737.9
 INSPECTION OF DISCHARGE TUBES HRS 1125.1 874.9 9737.9 2000 7737.9

INSPECTION REMAINING DUE AT

50 HR. INSP. 49 9137.7 50 9087.7
 100 HR. INSP. 99 9187.7 100 9087.7
 200 HR INSP 199 9287.7 200 9087.7
 300 HR INSP 189.3 9278 300 8978
 1200 CYCLIC STICK INSP 1199 10287.7 1200 9087.7
 3000 HR T/R DRIVESHAFTING INSPECTION 1101.4 10190.1 1200 8990.1
 ANNUAL INSP. Feb-04 12 MON Feb-03

TRANSPONDER CK Oct-03 24 MON Oct-01
 PITOT/STATIC INSP Oct-03 24 MON Oct-01

ELT BATTERY (ELT -10) Nov-04 24 MON Nov-02
 ELT INSP (FAR 91.207 PAR D) Feb-04 12 MON Feb-03

A/C TYPE 206L-III A/C S/N 51032 REG. NO. N2019F A/C T.T. 9088.7 HOBBS 861

DATE OF REPORT 4/27/2003 ENG.1 S/N CAE-895066 ENG.1 TT 8863 ENG.1 CY 24807 RINS 6072
 OLD OLD OLD

REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/LDG	TIME REMAINING	REMOVE HRS/CY	TBO SLL	INST A/C ENG HRS/CY	INST PART HRS/CY
-----	-------------	-------------	-----	--------------	----------------	---------------	---------	---------------------	------------------

GPS DATA BASE (NOT INSTALLED)

FUEL CELL INSP Feb-03 12 MON Feb-02

FIRE EXT 30 DAY INSPECTION Mar-03 30 DAY Feb-03
 FIRE EXT 12 MONTH INSPECTION Aug-03 12 MON Aug-02

T/R PUSH/PULL TUBE INSP 1089.7 10178.4 1200 8978.4
 T/R PUSH/PULL TUBE INSP Aug-04 24 MON Aug-02

ENGINE OIL CHANGE 99 9187.7 100 9087.7
 ENGINE OIL CHANGE Aug-03 6 MON Feb-03
 NICAD ENGINE OIL REPLACEMENT 99 9187.7 100 9087.7
 NICAD ENGINE OIL REPLACEMENT Aug-03 6 MON 2/17/2003
 600 HR NICAD OIL FILTER BY PASS CHECK 599 9687.7 600 9087.7

TRANS MISSION OIL CHANGE 199 9287.7 200 9087.7
 TRANS MISSION OIL CHANGE Feb-04 12 MON Feb-03
 TRANSMISSION FILTER REPLACEMENT 199 9287.7 200 9087.7

T/R GEARBOX OIL CHANGE 199 9287.7 200 9087.7
 T/R GEARBOX OIL CHANGE Feb-04 12 MON Feb-03

HYD FLUID CHG 189.7 9278.4 300 8978.4
 HYD FLUID CHG Aug-03 12 MON Aug-02

CONCORDE BATTERY CAPACITY CHECK 525.3 9614 600 9014
 CONCORDE BATTERY CAPACITY CHECK Oct-03 12 MON Oct-02

WIRE STRIKE INSPECTION 99 9187.7 100 9087.7
 WIRE STRIKE INSPECTION Feb-04 12 MON Feb-03
 BATTERY HOURMETER (CONTINUED AIRWORTHINESS) Apr-04 12 MON Apr-03

Component Name Part Number	Serial Numbers	Originally Placed In Service Date Component Hours	Installation Data		Scheduled Removal Date Component Hours	Removal Data	
			Accumulated Time On Assembly or Part Since New (Hrs)	Since Overhaul (Hrs)		Accumulated Time On Assembly or Part Since New (Hrs)	Since Overhaul (Hrs)
Name: Transmiss'ion No: 206-040-004-100	BMC00452	19/25/99 ACTT 8534.0	9334.1	3004.5			
Name: Swashplate Assy No: 206-010-450-113	REITG-20024	10/31/00 ACTT 8708.0	5917.5	1191.7			
Name: Main Driveshaft No: 206-040-015-015	AM20684	3/9/00 ACTT 8619.5	0.0	0.0			
Name: TR Gearbox Assy No: 206-040-402-003	AHM 61721	7/15/92 ACTT 6892.3	5975.2	0.0			
Name: Hub No: 206-011-810-153	A6557	2/3/99 ACTT 8293.5	0.0	0.0			
Name: TR blade No: 206-016-201-131	CS5243	2/3/99 ACTT 8293.5	0.0	0.0			
Name: TR blade No: 206-016-201-131	CS5238	2/3/99 ACTT 8293.5	0.0	0.0			
Name: Freewheeling Assy No: 206-040-270-9	BMB45710	2.3.99 ACTT 8293.5	0.0	0.0			
Name: M/R Hub Assy No: 206-011-106-105	HB 00886	10/10/01 ACTT 8831.6	0.0	0.0			
Name: M/R Blade No: 206-015-001-107	CS84	11/2/95 ACTT 7296.2	1728.0	1728.0			
Name: M/R Blade No: 206-015-001-107	A284	5/30/98 ACTT 7964.0	0.0	0.0			

Component Name Part Number	Serial Numbers	Originally Placed In Service			Installation Data			Scheduled Removal		Removal Data		
		Date	Component Hours	Since New (Hrs)	Since Overhaul (Hrs)	Date	Component Hours	Date	Aircraft Hours	Since New (Hrs)	Since Overhaul (Hrs)	
Name: Starter Generator No: 23081-018	97068	12.9.99	8578.5	UNK	0.0							
Name: Cyclic Servo No: 206-076-062-003	RH 2890 A	1-27-94	7189.8	3551.15	0.0							
Name: Actuator No: 206-076-062-3	RH 0580	12.31.93	7187.2	—	0.0				05-22-02	8938.7	week	1751.5
Name: Collective Servo Act. No: 206-076-062-003	RH 2023 A	2.23.90	5732.8	3869.0	0.0							
Name: Actuator No: 206-076-062-003	RH-0378	05-22-02	8938.7	week	0.0							
Name: 741630011 No: 206-033-004-45	ADK P-01173	new	new									
Name:												
No:												
Name:												
No:												
Name:												
No:												
Name:												
No:												

CA

EQUIPMENT LIST

02-17-2003

N2019F S/N-51032

SUPERSEDED
4-28-03

NO.	EQUIPMENT LIST:	WEIGHT	LONGITUDE STATION	LATERAL STATION	LONGITUDE MOMENT	LATERAL MOMENT
1	FIRE EXTINGUISHER	3.0	75.0	0.0	225.0	0.0
2	ALTIMETER	1.4	37.0	11.3	51.8	15.8
3	AIR SPEED INDICATOR	0.9	38.0	4.3	34.2	3.9
4	DUAL TACHOMETER	2.3	37.2	4.3	85.6	9.9
5	GAS PRODUCER TACHOMETER	1.0	37.4	1.3	37.4	1.3
6	FUEL PRESSURE & LOADMETER	1.0	37.6	-1.3	37.6	-1.3
7	FUEL QUANTITY INDICATOR	0.8	37.4	-1.3	29.9	-1.0
8	TORQUE INDICATOR	0.6	38.0	1.3	22.8	0.8
9	TURBINE OUTLET TEMP. INDICATOR	1.0	37.1	1.3	37.1	1.3
10	ENGINE OIL PRESS/TEMP INDICATOR	1.0	36.9	-1.3	36.9	-1.3
11	COMPASS MAGNETIC STANDBY INDICATOR	0.7	33.1	22.9	23.2	16.0
12	OUTSIDE AIR TEMP. INDICATOR	0.2	53.0	3.0	10.6	0.6
13	TRANSMISSION OIL PRESS/TEMP INDICATOR	1.0	37.1	-1.3	37.1	-1.3
14	LANDING LIGHT	1.6	14.0	0.0	22.4	0.0
15	TAIL LIGHT	0.5	398.6	0.0	199.3	0.0
16	ANTI-COLLISION STROBE LIGHT	0.4	394.0	7.0	157.6	2.8
17	ANTI-COLLISION POWER SUPPLY	2.3	174.0	17.0	400.2	39.1
18	STARTER/GENERATOR	21.7	168.0	5.0	3645.6	108.5
19	BATTERY (CONCORDE)	39.5	15.8	1.0	624.1	39.5
20	PILOT SAFETY BELT	0.9	70.0	12.0	63.0	10.8
21	CO PILOT/FWD PASSENGER SAFETY BELT	0.9	70.0	-12.0	63.0	-10.8
22	MID PASSENGER L.H. SAFETY BELT	0.9	87.0	-12.0	78.3	-10.8
23	MID PASSENGER R.H. SAFETY BELT	0.9	87.0	12.0	78.3	10.8
24	AFT PASSENGER L.H SAFETY BELT	0.9	138.0	-17.0	124.2	-15.3
25	AFT PASSENGER CENTER SAFETY BELT	0.9	138.0	0.0	124.2	0.0
26	AFT PASSENGER R.H SAFETY BELT	0.9	138.0	17.0	124.2	15.3

EQUIPMENT LIST

N2019F S/N 51032

SUPPRESSED
4-28-03

NO.	EQUIPMENT LIST:	WEIGHT	LONGITUDE STATION	LATERAL STATION	LONGITUDE MOMENT	LATERAL MOMENT
1	VHF EQUIPMENT	7.2	53.6	0.7	385.9	5.0
2	AFT AVIONICS PROVISIONS	14.3	83.6	-0.8	1195.5	-11.4
3	TRANSPONDER PROVISIONS	1.2	45.8	5.0	55.0	6.0
4	TRANSPONDER EQUIPMENT	3.3	39.4	0.9	130.0	3.0
5	OMNI	2.8	172.9	2.1	484.1	5.9
6	ROTOR BRAKE	12.4	127.4	0.1	1579.8	1.2
7	SOUNDPROOFING BLANKETS	11.9	116.0	0.0	1380.4	0.0
8	DUAL CONTROLS	11.8	47.9	-13.5	565.2	-159.3
9	PARTICLE SEPARATOR	16.5	142.7	1.0	2354.6	16.5
10	FLIGHT INSTRUMENTS	10.1	38.5	8.1	388.9	81.8
11	TAILBOOM DOUBLER MOD	1.9	286.9	-4.6	545.1	-8.7
12	AUDIO/ICS PANEL	2.3	35.0	2.0	80.5	4.6
13	RADAR ALTIMETER	2.0	22.0	-17.0	44.0	-34.0
14	RADAR ALTIMETER INDICATOR	0.9	35.0	-4.0	31.5	-3.6
15	RADAR ALTIMETER ANTENNA	0.9	20.0	-6.0	18.0	-5.4
16	ANTENNA	0.6	82.0	5.0	49.2	3.0
17	ANTENNA	0.5	82.0	-5.0	41.0	-2.5
18	WULFSBERG RT30	7.5	22.0	-5.0	165.0	-37.5
19	WULFSBERG RT138	7.5	22.0	-11.0	165.0	-82.5
20	WULFSBERG RT450	7.5	22.0	-16.0	165.0	-120.0
21	ANTENNA	0.5	65.0	6.5	32.5	3.3
22	KI-207	1.0	34.5	-7.0	34.5	-7.0
23	FACET OIL FILTER	4.0	212.5	0.0	850.0	0.0
24	WSPS KIT	16.4	33.4	0.0	547.8	0.0
25	DEVORE TEL-TALE	1.7	269.4	0.0	458.0	0.0
26	GRIMES POSITION LIGHT & STROBE	0.4	283.0	0.0	113.2	0.0
27	STROBE POWER SUPPLY	2.4	180.0	0.0	432.0	0.0
28	SPACEMAKER	6.0	192.0	0.0	1152.0	0.0
29	ANTEX ELT	4.0	201.0	8.0	804.0	32.0
30	ELT ANTENNA	0.2	169.0	0.0	33.8	0.0
31	BLIND ENCODER	1.2	49.5	1.5	59.4	1.8
32	ECS	117.4	154.0	-2.5	18079.6	-293.5
33	COMPOSITE BAGG DOOR (AS WEIGHED)				0.0	0.0
34	LEATHER UPHOLSTRY (AS WEIGHED)				0.0	0.0
35	ANTENNA	0.2	26.0	2.0	5.2	0.4
36	ANTENNA	0.6	11.0	0.0	6.6	0.0
37	ANTENNA	0.2	201.0	0.0	40.2	0.0
38	SEARCHLIGHT & TUB	11.0	86.0	0.0	946.0	0.0
39	VHF COMM KY196	3.2	40.7	0.0	130.2	0.0
40	ANTENNA	0.5	65.0	-12.0	32.5	-6.0
41	CONVERTOR	1.0	66.0	14.0	66.0	14.0
42	FRONT FLOOR PROTECTORS	3.0	44.0	14.0	132.0	42.0
43	AFT FLOOR PROTECTOR	6.0	111.4	14.0	668.4	84.0

EQUIPMENT LIST

N2019F S/N 51032

NO.	EQUIPMENT LIST:	WEIGHT	LONGITUDE STATION	LATERAL STATION	LONGITUDE MOMENT	LATERAL MOMENT
1	VHF EQUIPMENT	7.2	53.6	0.7	385.9	5.0
2	AFT AVIONICS PROVISIONS	14.3	83.6	-0.8	1195.5	-11.4
3	TRANSPONDER PROVISIONS	1.2	45.8	5.0	55.0	6.0
4	TRANSPONDER EQUIPMENT	3.3	39.4	0.9	130.0	3.0
5	OMNI	2.8	172.9	2.1	484.1	5.9
6	ROTOR BRAKE	12.4	127.4	0.1	1579.8	1.2
7	SOUNDPROOFING BLANKETS	11.9	116.0	0.0	1380.4	0.0
8	DUAL CONTROLS	11.8	47.9	-13.5	565.2	-159.3
9	PARTICLE SEPARATOR	16.5	142.7	1.0	2354.6	16.5
10	FLIGHT INSTRUMENTS	10.1	38.5	8.1	388.9	81.8
11	TAILBOOM DOUBLER MOD	1.9	286.9	-4.6	545.1	-8.7
12	AUDIO/ICS PANEL	2.3	35.0	2.0	80.5	4.6
13	RADAR ALTIMETER	2.0	22.0	-17.0	44.0	-34.0
14	RADAR ALTIMETER INDICATOR	0.9	35.0	-4.0	31.5	-3.6
15	RADAR ALTIMETER ANTENNA	0.9	20.0	-6.0	18.0	-5.4
16	ANTENNA	0.6	82.0	5.0	49.2	3.0
17	ANTENNA	0.5	82.0	-5.0	41.0	-2.5
18	WULFSBERG RT30	7.5	22.0	-5.0	165.0	-37.5
19	WULFSBERG RT138	7.5	22.0	-11.0	165.0	-82.5
20	WULFSBERG RT450	7.5	22.0	-16.0	165.0	-120.0
21	ANTENNA	0.5	65.0	6.5	32.5	3.3
22	KI-207	1.0	34.5	-7.0	34.5	-7.0
23	FACET OIL FILTER	4.0	212.5	0.0	850.0	0.0
24	WSPS KIT	16.4	33.4	0.0	547.8	0.0
25	DEVORE TEL-TALE	1.7	269.4	0.0	458.0	0.0
26	GRIMES POSITION LIGHT & STROBE	0.4	283.0	0.0	113.2	0.0
27	STROBE POWER SUPPLY	2.4	180.0	0.0	432.0	0.0
28	SPACEMAKER	6.0	192.0	0.0	1152.0	0.0
29	ANTEX ELT	4.0	201.0	8.0	804.0	32.0
30	ELT ANTENNA	0.2	169.0	0.0	33.8	0.0
31	BLIND ENCODER	1.2	49.5	1.5	59.4	1.8
32	ECS	117.4	154.0	-2.5	18079.6	-293.5
33	COMPOSITE BAGG DOOR (AS WEIGHED)				0.0	0.0
34	LEATHER UPHOLSTRY (AS WEIGHED)				0.0	0.0
35	ANTENNA	0.2	26.0	2.0	5.2	0.4
36	ANTENNA	0.6	11.0	0.0	6.6	0.0
37	ANTENNA	0.2	201.0	0.0	40.2	0.0
38	SEARCHLIGHT & TUB	11.0	86.0	0.0	946.0	0.0
39	VHF COMM KY196	3.2	40.7	0.0	130.2	0.0
40	ANTENNA	0.5	65.0	-12.0	32.5	-6.0
41	CONVERTOR	1.0	66.0	14.0	66.0	14.0
42	FRONT FLOOR PROTECTORS	3.0	44.0	14.0	132.0	42.0
43	AFT FLOOR PROTECTOR	6.0	111.4	14.0	668.4	84.0
43	BATTERY HOURMETER		NEGLIGIBLE			

EQUIPMENT LIST

N2019F S/N-51032

NO.	EQUIPMENT LIST:	WEIGHT	LONGITUDE STATION	LATERAL STATION	LONGITUDE MOMENT	LATERAL MOMENT
1	FIRE EXTINGUISHER	3.0	75.0	0.0	225.0	0.0
2	ALTIMETER	1.4	37.0	11.3	51.8	15.8
3	AIRSPEED INDICATOR	0.9	38.0	4.3	34.2	3.9
4	DUAL TACHOMETER	2.3	37.2	4.3	85.6	9.9
5	GAS PRODUCER TACHOMETER	1.0	37.4	1.3	37.4	1.3
6	FUEL PRESSURE & LOADMETER	1.0	37.6	-1.3	37.6	-1.3
7	FUEL QUANTITY INDICATOR	0.8	37.4	-1.3	29.9	-1.0
8	TORQUE INDICATOR	0.6	38.0	1.3	22.8	0.8
9	TURBINE OUTLET TEMP. INDICATOR	1.0	37.1	1.3	37.1	1.3
10	ENGINE OIL PRESS/TEMP INDICATOR	1.0	36.9	-1.3	36.9	-1.3
11	COMPASS MAGNETIC STANDBY INDICATOR	0.7	33.1	22.9	23.2	16.0
12	OUTSIDE AIR TEMP. INDICATOR	0.2	53.0	3.0	10.6	0.6
13	TRANSMISSION OIL PRESS/TEMP INDICATOR	1.0	37.1	-1.3	37.1	-1.3
14	LANDING LIGHT	1.6	14.0	0.0	22.4	0.0
15	TAIL LIGHT	0.5	398.6	0.0	199.3	0.0
16	ANTI-COLLISION STROBE LIGHT	0.4	394.0	7.0	157.6	2.8
17	ANTI-COLLISION POWER SUPPLY	2.3	174.0	17.0	400.2	39.1
18	STARTER/GENERATOR	21.7	168.0	5.0	3645.6	108.5
19	BATTERY (CONCORDE)	39.5	15.8	1.0	624.1	39.5
20	PILOT SAFETY BELT	0.9	70.0	12.0	63.0	10.8
21	CO PILOT/FWD PASSENGER SAFETY BELT	0.9	70.0	-12.0	63.0	-10.8
22	MID PASSENGER L.H. SAFETY BELT	0.9	87.0	-12.0	78.3	-10.8
23	MID PASSENGER R.H. SAFETY BELT	0.9	87.0	12.0	78.3	10.8
24	AFT PASSENGER L.H SAFETY BELT	0.9	138.0	-17.0	124.2	-15.3
25	AFT PASSENGER CENTER SAFETY BELT	0.9	138.0	0.0	124.2	0.0
26	AFT PASSENGER R.H SAFETY BELT	0.9	138.0	17.0	124.2	15.3